

Table 1. Maximum Sulfuryl fluoride use rates and management practices by crop based on current labels.  
(Generalized Screening Level Portrayal Of Current Label Uses)  
Current As Of - 07/24/2008

Use Site	Max. Rate per App	Max. Rate Unit/Area *UG	Form	Max.# Apps cc & yr	Max. App Rate/ cc & yr	Min. App Interval (days)	Application Equipment //Type (Reg # Code)
<b>NON-FOOD/NON-FEED USES</b>							
agricultural/farm structures/buildings and equipment	1500	oz.hr/1K cu.ft (L) *C1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
airtight chambers	1500	oz.hr/1K cu.ft (L) *M1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
automobiles, taxis, limousines, recreational vehicles, & tires	1	-- (L) *M1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
	1500	oz.hr/1K cu.ft (L) *M1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (b)
commercial storages/warehouses premises	1	-- (L) *M1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
	1500	oz.hr/1K cu.ft (L) *M1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (b)
commercial transportation facilities-nonfeed/nonfood	1500	oz.hr/1K cu.ft (L) *M1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
eating establishments food handling areas (nonfood contact)	1500	oz.hr/1K cu.ft (L) *M1	PRGS	3/1 yr	NS	NS	Fumigation chamber/ Fumigator can //Indoor premise treatment (a)
household/domestic dwellings	1	-- (L) *O1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
	1500	oz.hr/1K cu.ft (L) *O1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (b)
household/domestic dwellings contents	1	-- (L) *O1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
	1500	oz.hr/1K cu.ft (L) *O1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (b)
household/domestic dwellings indoor premises	1	-- (L) *O1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
	1500	oz.hr/1K cu.ft (L) *C1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (b)
nonagricultural outdoor buildings/structures	1	-- (L) *C1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
	1500	oz.hr/1K cu.ft (L) *C1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (b)
ships and boats	1	-- (L) *M1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
	1500	oz.hr/1K cu.ft (L) *M1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (b)

Table 1. Maximum Sulfuryl fluoride use rates and management practices by crop based on current labels.  
(Generalized Screening Level Portrayal Of Current Label Uses)  
Current As Of - 07/24/2008

Use Site	Max. Rate per App	Max. Rate Unit/Area *UG	Form	Max.# Apps cc & yr	Max. App Rate/ cc & yr	Min. App Interval (days)	Application Equipment //Type (Reg # Code)
wood protection treatment to buildings/products outdoor	1	-- (L) *K2	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
	1500	oz.hr/1K cu.ft (L) *K2	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (b)
<b>FOOD/FEED USES</b>							
airtight chambers	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
almond	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
barley	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
beech nut	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
beef/range/feeder cattle (meat)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Enclosed premise treatment (a)
brazil nut	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
butternut	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
cashew	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
cheese/cheese byproducts (processed)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
chestnut	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
chinquapin	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
cocoa	1500~	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation/ Stored commodity fumigation (a)
coconut	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
coffee (processed)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation/ Stored commodity fumigation (a)

Table 1. Maximum Sulfuryl fluoride use rates and management practices by crop based on current labels.  
(Generalized Screening Level Portrayal Of Current Label Uses)  
Current As Of - 07/24/2008

Use Site	Max. Rate per App	Max. Rate Unit/Area *UG	Form	Max.# Apps cc & yr	Max. App Rate/ cc & yr	Min. App Interval (days)	Application Equipment //Type (Reg # Code)
commercial shipping containers-feed/food-empty	1	-- (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
commercial storages/warehouses premises	1500	oz.hr/1K cu.ft (L) *L1	PRGS	3/1 yr	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
corn (processed/ground)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
corn (unspecified)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
corn, pop	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
cottonseed (animal feed) (processed)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation/ Stored commodity fumigation (a)
date	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
fig	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
filbert (hazelnut)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
fruits (dried/dehydrated) (processed)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
ginger	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation/ Stored commodity fumigation (a)
grapes	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
herbs and spices (processed)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
hickory nut	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
macadamia nut (bushnut)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
meat products (processed)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
millet (proso)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)

Table 1. Maximum Sulfuryl fluoride use rates and management practices by crop based on current labels.  
(Generalized Screening Level Portrayal Of Current Label Uses)  
Current As Of - 07/24/2008

Use Site	Max. Rate per App	Max. Rate Unit/Area *UG	Form	Max.# Apps cc & yr	Max. App Rate/ cc & yr	Min. App Interval (days)	Application Equipment //Type (Reg # Code)
oats	1500	oz.hr/1K cu.ft (L)*L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
peanuts (unspecified)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
pecan	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
pine nuts	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
pistachio	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
prune	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
rice	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
rice (processed/milled/enriched/ polished/brewers grits)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
rice, wild	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
sorghum (unspecified)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
sunflower	1500~	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation (a)
triticale	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
vegetables (dried/dehydrated) (processed)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
walnut (english/black)	1500~	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Fumigation/ Stored commodity fumigation (a)
wheat	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)
wheat (processed)	1500	oz.hr/1K cu.ft (L) *L1	PRGS	NS	NS	NS	Fumigation chamber/ Fumigator can //Stored commodity fumigation (a)

Table 1. Maximum Sulfuryl fluoride use rates and management practices by crop based on current labels.  
(Generalized Screening Level Portrayal Of Current Label Uses)  
Current As Of - 07/24/2008

**Use Site/Registration Number(s) for Maximum Dosages with Reg # Codes**

**NON-FOOD/NON-FEED USES**

agricultural/farm structures/buildings and equipment	62719-376(a)
airtight chambers	62719-376(a)
automobiles, taxis, limousines, recreational vehicles, & tires	19713-596(b), 62719-4(a), 81824-1(a)
commercial storages/warehouses premises	62719-376(b), 81824-1(a)
commercial transportation facilities-nonfeed/nonfood	62719-376(a)
eating establishments food handling areas (nonfood contact)	62719-376(a)
household/domestic dwellings	19713-596(b), 62719-4(a), 81824-1(a)
household/domestic dwellings contents	19713-596(b), 62719-4(a), 81824-1(a)
household/domestic dwellings indoor premises	81824-1(a)
nonagricultural outdoor buildings/structures	19713-596(b), 62719-4(a), 62719-376(b), 81824-1(a)
ships and boats	19713-596(b), 62719-4(a), 81824-1(a)
wood protection treatment to buildings/products outdoor	19713-596(b), 62719-4(a), 81824-1(a)

**FOOD/FEED USES**

airtight chambers	62719-376(a)
almond	62719-376(a)
barley	62719-376(a)
beech nut	62719-376(a)
beef/range/feeder cattle (meat)	62719-376(a)
brazil nut	62719-376(a)
butternut	62719-376(a)
cashew	62719-376(a)
cheese/cheese byproducts (processed)	62719-376(a)
chestnut	62719-376(a)
chinquapin	62719-376(a)
cocoa	62719-376(a), DE07000100(a), MD07000100(a), NJ07000400(a), PA07000500(a), VA07000200(a)
coconut	62719-376(a)
coffee (processed)	62719-376(a)
commercial shipping containers-feed/food-empty	62719-4(a), 81824-1(a)
commercial storages/warehouses premises	62719-376(a)

Table 1. Maximum Sulfuryl fluoride use rates and management practices by crop based on current labels.  
(Generalized Screening Level Portrayal Of Current Label Uses)  
Current As Of - 07/24/2008

corn (processed/ground)	62719-376(a)
corn (unspecified)	62719-376(a)
corn, pop	62719-376(a)
cottonseed (animal feed) (processed)	62719-376(a)
date	62719-376(a)
fig	62719-376(a)
filbert (hazelnut)	62719-376(a)
fruits (dried/dehydrated) (processed)	62719-376(a)
ginger	62719-376(a)
grapes	62719-376(a)
herbs and spices (processed)	62719-376(a)
hickory nut	62719-376(a)
macadamia nut (bushnut)	62719-376(a)
meat products (processed)	62719-376(a)
millet (proso)	62719-376(a)
oats	62719-376(a)
peanuts (unspecified)	62719-376(a)
pecan	62719-376(a)
pine nuts	62719-376(a)
pistachio	62719-376(a)
prune	62719-376(a)
rice	62719-376(a)
rice (processed/milled/enriched/polished/brewer s grits)	62719-376(a)
rice, wild	62719-376(a)
sorghum (unspecified)	62719-376(a)
sunflower	CA07000300(a)
triticale	62719-376(a)
vegetables (dried/dehydrated) (processed)	62719-376(a)
walnut (english/black)	62719-376(a), CA06002200(a)
wheat	62719-376(a)
wheat (processed)	62719-376(a)

#### LEGEND

##### HEADER

##### ABBREVIATIONS

Use Site	: The use site refers to the entity (crop, building, surface or article) where a pesticide is applied and/or which is being protected.
Max.Rate per App	: Maximum dose for a single application to a single site. System calculated.
Max.Rate Unit/Area	: Units and Area associated with the maximum dose.
*UG	: Use Group codes.

**Table 1. Maximum Sulfuryl fluoride use rates and management practices by crop based on current labels.  
(Generalized Screening Level Portrayal Of Current Label Uses)**

**Current As Of - 07/24/2008**

Form : The physical form of the end use product found in the container.  
 Max. # Apps cc & yr : The maximum number of applications.  
 Max. App Rate/cc & yr : The maximum amount of pesticide product that can be applied to a site in one growing season (/cc) or during the span of one year (/yr).  
 Min. App Interval (days): The minimum retreatment interval between applications in days (aggregated).  
 Application Equipment : The equipment used to apply pesticide (aggregated).  
 Application Type : The type of pesticide application (aggregated).  
 Current as of - : The label data for the listed products in this report is current as of this date.

**ABBREVIATIONS**

AN - As Needed.  
 NA - Not Applicable.  
 NS - Not Specified (on label).  
 (L) - The dosage information provided is from the label in terms of product (e.g., ounces, gallons, or pounds of the product) because there was insufficient information (e.g., missing density, area, or active ingredient percentages) to provide converted dosage information.  
 ~ - The tilde in "Max. Rate per App" indicates a dosage that includes information from a SLN label.  
 UC - Unconverted due to lack of data (on label).

**APPLICATION RATE**

W : PPM calculated by weight  
 V : PPM calculated by volume  
 U : Unknown whether PPM is given by weight or by volume  
 cwt : Hundred Weight.  
 nnE-xx : nn times (10 power -xx), for instance, "1.234E-4" is equivalent to ".0001234".  
 -- : No description available in LUIS unit conversion vocabulary.  
 ~ : The dosage information includes a contribution from one or more (TQ, CL, BR, I) active ingredients.

**FORMULATION CODES**

PRGS : Pressurized Gas

**USE GROUP CODES**

C1 : TERRESTRIAL NON-FOOD CROP  
 K2 : OUTDOOR RESIDENTIAL + INDOOR RESIDENTIAL  
 L1 : INDOOR FOOD  
 M1 : INDOOR NON-FOOD  
 O1 : INDOOR RESIDENTIAL